Applicants: Mary Cismowski et al.

Serial No : 09/709,103

Filed : November 8, 2000

Page 2

Amendments to the Claims

Please cancel claims 79 and 80 without prejudice to applicants' right to pursue the subject matter of these claims in this or a related application.

Please amend claims 81-83 and 89 under the provisions of 37 C.F.R. §1.121, as set forth in the Federal Register on June 30, 2003 as follows:

Applicants: Mary Cismowski et al.

Serial No : 09/709,103

Filed: November 8, 2000

Page 3

Claims 1-78 (Canceled)

- 79. (Canceled) An isolated nucleic acid comprising nucleotides having a sequence which encodes an Activator of G Protein Signaling ("AGS") protein which comprises amino acids having a sequence which is at least 98% homologous to the sequence set forth in SEQ ID NO:2.
- 80. (Canceled) The isolated nucleic acid of claim 79, wherein the protein comprises amino acids having a sequence which is at least 99% homologous to the sequence set forth in SEQ ID NO:2.
- 81. (Currently Amended) The An isolated nucleic acid comprising nucleotides having a sequence which encodes an Activator of G Protein Signaling ("AGS") protein which comprises of claim 79, which encodes a protein comprising amino acids having a sequence as set forth in SEQ ID NO:2.
- 82. (Currently Amended) The isolated nucleic acid of claim 79 81, wherein said protein activates G protein-coupled signal transduction in a G protein-coupled receptor independent manner.
- 83. (Currently Amended) The isolated nucleic acid of claim 79
 81, wherein said nucleic acid is a human nucleic acid.
- 84. (Previously Presented) An isolated nucleic acid comprising nucleotides having a sequence encoding the same AGS protein, which is encoded by the sequence set forth in SEQ ID NO:1 or the sequence set forth in SEQ ID NO:3, or a full complement to the isolated nucleic acid.

Applicants: Mary Cismowski et al.

Serial No : 09/709,103

Filed: November 8, 2000

Page 4

85. (Previously Presented) The isolated nucleic acid of claim 84, wherein the nucleotides have a sequence as set forth in SEQ ID NO:1.

- 86. (Previously Presented) The isolated nucleic acid of claim 84, comprising nucleotides having a sequence as set forth in SEQ ID NO:3.
- 87. (Previously Presented) The isolated nucleic acid of claim 84, which encodes a protein that activates G protein-coupled signal transduction in a G protein-coupled receptor independent manner.
- 88. (Previously Presented) The isolated nucleic acid of claim 84, which is a human nucleic acid molecule.
- 89. (Currently Amended) A vector comprising the nucleic acid of claim 79 81.
- 90. (Previously Presented) The vector of claim 89, which is a recombinant expression vector.
- 91. (Previously Presented) A host cell containing the vector of claim 89.
- 92. (Previously Presented) A method for producing an AGS protein comprising culturing the host cell of claim 91 in a suitable medium such that AGS protein is produced.
- 93. (Previously Presented) The method of claim 92, further comprising isolating an AGS protein from the medium of the host cell.

- 81. An isolated nucleic acid comprising nucleotides having a sequence which encodes an Activator of G Protein Signaling ("AGS") protein which comprises amino acids having a sequence as set forth in SEQ ID NO:2.
- 82. The isolated nucleic acid of claim 81, wherein said protein activates G protein-coupled signal transduction in a G protein-coupled receptor independent manner.
- 83. The isolated nucleic acid of claim 81, wherein said nucleic acid is a human nucleic acid.
- 84. An isolated nucleic acid comprising nucleotides having a sequence encoding the same AGS protein, which is encoded by the sequence set forth in SEQ ID NO:1 or the sequence set forth in SEQ ID NO:3, or a full complement to the isolated nucleic acid.
- 85. The isolated nucleic acid of claim 84, wherein the nucleotides have a sequence as set forth in SEQ ID NO:1.
- 86. The isolated nucleic acid of claim 84, comprising nucleotides having a sequence as set forth in SEQ ID NO:3.
- 87. The isolated nucleic acid of claim 84, which encodes a protein that activates G protein-coupled signal transduction in a G protein-coupled receptor independent manner.
- 88. The isolated nucleic acid of claim 84, which is a human nucleic acid molecule.
- 89. A vector comprising the nucleic acid of claim 81.

- 90. The vector of claim 89, which is a recombinant expression vector.
- 91. A host cell containing the vector of claim 89.
- 92. A method for producing an AGS protein comprising culturing the host cell of claim 91 in a suitable medium such that AGS protein is produced.
- 93. The method of claim 92, further comprising isolating an AGS protein from the medium of the host cell.